In this section, hydric soils are defined and described and the hydric soils in the survey area are listed. The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for each of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 1995). These criteria are used to identify a phase of a soil series that normally is associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (USDA, 1999) and "Keys to Soil Taxonomy" (USDA, 1998) and in the "Soil Survey Manual" (USDA, 1993).

If soils are wet enough for a long enough period to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils in this survey area are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and others, 1996).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units in the Hydric Soil Interpretations table meet the definition of hydric soils and, in addition, have at east one of the hydric soil indicators. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 1996).

Map units that are made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

These map units, in general, do not meet the definition of hydric soils because they do not have one of the hydric soil indicators. A portion of these map units, however, may include hydric soils. Onsite investigation is recommended to determine whether hydric soils occur and the location of the included hydric soils.

Mon combala				Hydric soils criteria				
Map symbol and map unit name	   Component   	   Hydric   	  Local landform      	Hydric criteria code	Meets  saturation   criteria			
MODERATELY DEEP, 1 TO	      ALTVAN	No	     			     	     	
3 PERCENT SLOPES	LODGEPOLE	Yes	playa	2A	YES	NO NO	NO NO	
3ABW: ALTVAN LOAM, MODERATELY DEEP, 3 TO 5 PERCENT SLOPES	  ALTVAN   	   No 	   			   	   	
MODERATELY DEEP, 5 TO 9 PERCENT SLOPES	  ALTVAN   	   No 	   			   	   	
3Pn: PARSHALL SANDY LOAM, MODERATELY DEEP, 0 TO 1 PERCENT SLOPES	  ALICE   	   No 				   	   	
MODERATELY DEEP, 1 TO 5 PERCENT SLOPES	  ALICE   	   No 				   	   	
3RAW: ROSEBUD LOAM, MODERATELY DEEP, 1 TO 3 PERCENT SLOPES	  ROSEBUD 	   No 				   	   	
	LODGEPOLE	Yes	playa	2A	YES	NO	NO	
3RBW: ROSEBUD LOAM, MODERATELY DEEP, 3 TO 5 PERCENT SLOPES	  ROSEBUD   	   No 	   			   	   	
3RbW: ROSEBUD LOAM, MODERATELY DEEP, 0 TO 1 PERCENT SLOPES	  ROSEBUD 	   No 	   			   	   	
	LODGEPOLE	Yes	playa	2A	YES	NO	NO	
3RCW: ROSEBUD LOAM, MODERATELY DEEP, 5 TO 9 PERCENT SLOPES Aa:	  ROSEBUD   	   No   				   	     	
ALTVAN LOAM, DEEP, 0 TO 1 PERCENT SLOPES	  ALTVAN	No						
	LODGEPOLE	Yes	playa	2A	YES	NO	NO	
AaAW: ALTVAN LOAM, DEEP, 1 TO 3 PERCENT SLOPES	  ALTVAN 	   No 	     			   	   	
AaBW:	LODGEPOLE	Yes	playa	2A	YES	NO NO	NO	
	ALTVAN 	No	 					
ALTVAN LOAM, DEEP, 5 TO 9 PERCENT SLOPES	  ALTVAN 	   No 						
AED: ARENTS, EARTHEN DAM	  ARENTS,   EARTHEN DAM	  Unranked 	 			   	   	
AfAW: ALTVAN FINE SANDY LOAM, DEEP, 1 TO 3 PERCENT SLOPES BfBW:	  ALTVAN   	   No   	     			   	     	
BAYARD FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES BhA:	  BAYARD     	   No   	   			   	     	
BRIDGEPORT LOAM, 1 TO	BRIDGET	No						
3 PERCENT SLOPES	  LODGEPOLE	   Yes	  playa	2A	YES	NO NO	l NO	

Managements 2 and 2				Hydric soils criteria				
Map symbol and map unit name	   Component   	   Hydric     	  Local landform   	Hydric criteria code	Meets  saturation   criteria			
BhB: BRIDGEPORT LOAM, 3 TO 5 PERCENT SLOPES	  BRIDGET	     No						
	LODGEPOLE	Yes	playa	2A	YES	NO	NO	
C-C: CANYON COMPLEX, 0 TO 9 PERCENT SLOPES	  CANYON 	   No 	   			   	   	
C-D: CANYON COMPLEX, 9 TO 20 PERCENT SLOPES	  CANYON 	   No 				   		
CcB3: CANYON LOAM, 0 TO 5 PERCENT SLOPES, ERODED CcBW:	  CANYON   	   No 	   			     	   	
CANYON LOAM, 0 TO 5 PERCENT SLOPES CcD:	  CANYON 	   No 				   		
CANYON LOAM, 9 TO 20 PERCENT SLOPES Chaw:	  CANYON 	   No 				   		
CHAPPELL SANDY LOAM, 1 TO 3 PERCENT SLOPES ChBW:	  CHAPPELL 	   No 				   		
CHAPPELL SANDY LOAM, 3 TO 5 PERCENT SLOPES	  CHAPPELL 	No						
ChC: CHAPPELL SANDY LOAM, 5 TO 9 PERCENT SLOPES	  CHAPPELL 	   No 				   	   	
CnBW: CANYON SANDY LOAM, 0 TO 5 PERCENT SLOPES	  CANYON 	   No 				   		
CnD: CANYON SANDY LOAM, 9 TO 20 PERCENT SLOPES CRC:	  CANYON 	   No 				   		
CANYON-ROSEBUD LOAMS, 5 TO 9 PERCENT SLOPES	  CANYON 	No				   	 	
CRC3:	ROSEBUD LODGEPOLE	No   Yes	  playa 	 2A	YES	   NO	   NO	
CANYON-ROSEBUD LOAMS, 5 TO 9 PERCENT SLOPES, ERODED	  CANYON 	   No 				   	   	
CVC:	ROSEBUD	No						
CANYON-VEBAR SANDY LOAMS, 5 TO 9 PERCENT SLOPES	  CANYON 	   No 				   	   	
	BLANCHE	No						
Cy: CHEYENNE LOAM, 0 TO 1 PERCENT SLOPES CyA:	  CHEYENNE 	   No 				   	   	
CHEYENNE LOAM, 1 TO 3 PERCENT SLOPES DxC:	  CHEYENNE 	   No 				   	   	
DIX LOAMS, 3 TO 9 PERCENT SLOPES	  DIX 	   No 				   		
PERCENT SLOPES	  DIX 	   No 				   		
Dy: DWYER LOAMY SAND Gd:	  DWYER 	No				   		
	  GLENBERG 	No				   		

W				Н	ydric soils	criteria	
Map symbol and map unit name	Component   	   Hydric     	  Local landform     	Hydric criteria code	Meets  saturation   criteria		
Go: GOSHEN LOAM, 0 TO 1	    GOSHEN	     No					
PERCENT SLOPES	LODGEPOLE	Yes	  playa	2A	YES	NO	l NO
GOA: GOSHEN LOAM, 1 TO 3 PERCENT SLOPES	  GOSHEN	No				 	 
GP: GRAVEL PIT	PITS	    Unranked					
Gv: GRAVELLY LAND	BLUERIDGE	No					 
He: HAVRE SILT LOAM	HAVERSON	No				 	
INT: AQUOLLS	  AQUOLLS 	   Yes 	  depression,   terrace	2B3,3	YES	   NO 	   YES 
Ke: KEITH LOAM, 0 TO 1	  KEITH	No	 			 	 
PERCENT SLOPES	  LODGEPOLE	   Yes	  playa	2A	YES	   NO	NO
KeAW: KEITH LOAM, 1 TO 3	  KEITH	No				 	 
PERCENT SLOPES	LODGEPOLE	Yes	  playa	2A	YES	NO NO	NO NO
KeBW: KEITH LOAM, 3 TO 5 PERCENT SLOPES	  KEITH 	   No 	   			   	   
Lx: LOAMY ALLUVIAL LAND	  GLENBERG  WT AT 0-1   FOOT	No   Yes 	     swale 	 2B3	     YES	     NO 	   NO 
Pn: PARSHALL SANDY LOAM, DEEP, 0 TO 1 PERCENT SLOPES	  ALICE 	No l	   			   	   
PnBW: PARSHALL SANDY LOAM, DEEP, 1 TO 5 PERCENT SLOPES	  ALICE 	   No 				   	   
PncW: PARSHALL SANDY LOAM, DEEP, 5 TO 9 PERCENT SLOPES	  ALICE   	   No 	   			   	   
Rb: ROSEBUD LOAM, DEEP, 0 TO 1 PERCENT SLOPES	ALLIANCE	No					
	LODGEPOLE	Yes	  playa	2A	YES	NO	NO
RDAW:  ROSEBUD LOAM, DEEP, 1	ALLIANCE	l No					
TO 3 PERCENT SLOPES	LODGEPOLE	Yes	  playa	2A	YES	NO	NO NO
RDBW: ROSEBUD LOAM, DEEP, 3 TO 5 PERCENT SLOPES	  ALLIANCE	No	 			   	 
	LODGEPOLE	Yes	playa	2A	YES	NO	NO
RbCW:  ROSEBUD LOAM, DEEP, 5  TO 9 PERCENT SLOPES RbD:	  ALLIANCE 	   No 	   			   	   
ROSEBUD LOAM, 9 TO 15 PERCENT SLOPES Rv:	ROSEBUD	No	 			   	   
ROCK LAND Rw:	ROCK OUTCROP	Unranked					
RW. RIVERWASH Se:	  RIVERWASH	  Unranked 	 			 	
SCOTT SILT LOAM	LODGEPOLE PONDED SOILS		  playa  playa	2A,3 2B3,3	YES YES	NO NO	YES YES

     Map symbol and	 			Hydric soils criteria				
map unit name	Component	Hydric	  Local landform   	Hydric criteria code	Meets  saturation   criteria 	Meets  flooding  criteria	12 0 1	
  Sx:	 	 			 	 		
SANDY ALLUVIAL LAND   	BANKARD  WT AT 0-1   FOOT	No Yes	  swale   	2B2	   YES	NO	   NO	
Ta:	İ	i	İ		İ		i i	
TRIPP LOAM, 0 TO 1 PERCENT SLOPES	TRIPP	No			 		 	
	LODGEPOLE	Yes	playa	2B3	YES	NO	NO	
TaAW:   TRIPP LOAM, 1 TO 3   PERCENT SLOPES	  TRIPP	   No						
PERCENT SHOPES	  LODGEPOLE	l Yes	  playa	2B3	l yes	l NO	NO I	
TaBW:		İ					i i	
TRIPP LOAM, 3 TO 5 PERCENT SLOPES	TRIPP	No	 					
TaCW:   TRIPP LOAM, 5 TO 9	  TRIPP	l No			 	 		
PERCENT SLOPES		2.0	İ		İ		i i	
Tr:   TRIPP FINE SANDY LOAM,   0 TO 1 PERCENT SLOPES	  TRIPP 	   No 	 		   	   	     	
TrA: TRIPP FINE SANDY LOAM,	  TRIPP	No						
1 TO 3 PERCENT SLOPES  TrBW:	 				 			
TRIPP FINE SANDY LOAM,  3 TO 5 PERCENT SLOPES	  TRIPP 	   No 	     		 	 	 	
Vraw: VEBAR SANDY LOAM, 0 TO	  BLANCHE	No						
3 PERCENT SLOPES	  WT AT 0-1   FOOT	   Yes 	  swale 	2B3	   YES 	NO NO	NO	
VrBW:		i	İ				i i	
VEBAR SANDY LOAM, 3 TO 5 PERCENT SLOPES	BLANCHE 	No	 		 			
Vrcw: VEBAR SANDY LOAM, 5 TO 9 PERCENT SLOPES	  BLANCHE 	   No 	 		 	 		
VrD:   VEBAR SANDY LOAM, 9 TO   15 PERCENT SLOPES	    BLANCHE 	     No 			   	   		
W: WATER	  WATER	  Unranked	 		 			
Wx:		ļ					ļ į	
WET ALLUVIAL LAND	ALMERIA	Yes	flood plain	3,2B3	YES	NO	YES	

All mapunits are displayed regardless of hydric status and are listed in alpha-numeric order by mapunit symbol. The "Hydric Soils Criteria" columns indicate the conditions that caused the mapunit component to be classified as "Hydric" or "Non-Hydric". These criteria are defined in "Hydric Soils of the United States" (USDA Miscellaneous Publication No. 1491, June, 1991). See the "Criteria for Hydric Soils" endnote to determine the meaning of these columns. Spot symbols are footnoted at the end of the table.

     Map symbol and		 		   Hydric soils criteria				
map unit name	Component	Hydric	Local	landform	Hydric criteria	Meets  saturation	Meets  flooding	Meets
	j .i	İ	j .i	i	code	criteria		
	 	 	!	 		 	 	 

FOOTNOTE: There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are defined in the published Soil Survey Report or the USDA-NRCS Technical Guide, Part II.

Areas mapped as water or any map unit that contains one of the following conventional symbols is considered a hydric soil map unit: marshes or swamps; wet spots; depressions; streams, lakes and ponds.

- 1. All Histosols except Folists, or
- 2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Aquisalids, Pachic subgroups, or Cumulic subgroups that are:
  - a. Somewhat poorly drained with a water table equal to 0.0 foot (ft) from the surface during the growing season, or
  - b. poorly drained or very poorly drained and have either:
    - (1) water table equal to 0.0 ft during the growing season if textures are coarse sand, sand, or fine sand in all layers within 20 inches (in),
      - or for other soils
    - (2) water table at less than or equal to 0.5 ft from the surface during the growing season if permeability is equal to or greater than 6.0 in/hour (h) in all layers within 20 in, or
    - (3) water table at less than or equal to 1.0 ft from the surface during the growing season if permeability is less than 6.0 in/h in any layer within 20 in, or
- 3. Soils that are frequently ponded for long duration or very long duration during the growing season, or
- 4. Soils that are frequently flooded for long duration or very long duration during the growing season.